----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

	POPULATION	I ESTIMATES	3	CANCER INCIDE	NCE	LOCAL PUBLIC H	IEALTH	
								Per
	999 Populat	ion Est	17,890	(Cancer incidence is	for 1998)	Activities Reported	Number	10,000
Perce	nt Female		50.4					(
İ			'	Primary Site	Number	Public Health Nursing		j
Populat	ion per squ	are mile	31 l			Total clients	646	360
Pank	in state	are mire	46	Breast	14	Total clients Total visits	1 052	587
	ighest popu	lation don		Cervical	2	Visits: Reason for	1,052	307
				Cervical	10	Gen hlth promotion	220	122
/2=1	owest popul	ation dens	sity.)	Colorectal Trachea, Bronchus, Lung	12	-		133
ļ	_	_	_			Infant/child hlth		34
Age	Female	Male	Total	Prostate	3	Infectious & parasitic	•	
0-14	1,750	1,810	3,560	Other sites	27	Circulatory	•	
15-19	680	790	1,460	Total	64	Circulatory Prenatal	14	8
20-24	520	620	1,140			Postpartum	64	36
25-29	450	490	940	LONG-TERM CAF	RE [-		
30-34	460	480	940		ı	WIC Participants	594	332
35-39	650	630	1,270	Community Options and M	A Waiver		-	
40-44	700	700	1,400	Programs		Clinic Visits	5,354	2 988
45-54			2,440	# Clients	Costs		2,354	1 651
!	1,210	1,230				Immunization Blood pressure	2,930	1,001
55-64	810	860	1,670	COP 326	\$1,390,510	Blood pressure	1,441	804
65-74	800 660	660 480	1,460	MA Waivers *				ļ
			1,460	CIP1A 33	\$1,826,381	Environmental Contacts		
85+	320	14()	4.70	CIP1B 376 CIP2 197	\$6,809,924	Env hazards	95	53
Total	9,010	8,880	17,890	CIP2 197	\$2,230,024	Public health nuisance	176	98
				COP-W 170	\$1,828,586			
Age	Female	Male	Total	COP-W 170 CSLA 36 Brain Inj 5 Total COP/Wvrs 942	\$72.525			j
0-17	2,140	2,280		Brain Ini 5	\$325,994			ľ
18-44	3,070	3,240	6,290	Total COP/Wyrs 942	\$14 483 944			
45-64	2,020	2,090	4,110	iocai coi/wvib 542	γ11,103,711			-
65+		1,280	3,060	\$144,250 of the above	Wojrrow goata	Heelth Education		l
	1,780						0	- 1
Total	9,010	8,880	17,890	were paid as local mat		Community sessions		1
				using COP funds. This		Community attendance	220	123
	estimates			not included in above	COP costs.	School sessions	12	7
	d in the 19					School attendance	196	109
	statistics		ıpdated	* Waiver costs reported				
after t	he 2000 Cen	ısus.)		include federal fundi:	ng.	Staffing - FTEs		Ì
		•			-	Total staff	5	2.7
i	EMPLO	YMENT			İ		1	
	wage for jo			Home Health Agencies	1	Public health nurses	2	1 2
	loyment Com			Home Health Agencies Patients	261	Public health nurses Public health aides	0	0.2
				I deletteb	201			
	erage wage			Patients per 10,000 por). 146	Environmental specialist	ts .	•
OI	work, not	place of r	residence.					
_	_			Nursing Homes	2			
Labor Fo	rce Estimat	es Annua	l Average	Licensed beds	148	LOCAL PUBLIC HEALT		
Civilia	n labor for r employed	ce	8,271	Occupancy rate Residents on 12/31/98	81.8%	(funding data not a	availabl	e)
Numbe	r employed		7,987					
Numbe	r unemploye	ed	284 İ	Residents aged 65 or ol per 1,000 population	.der			j
Unem	ployment ra	ite	3.4%	per 1,000 population	41			
,					== 			

----- NATAI,TTY ------Birth Order Births Percent TOTAL LIVE BIRTHS 193 Marital Status First 70 36 of Mother Births Percent
Second 56 29 Married 149 77
Third 35 18 Not married 44 23
Fourth or higher 32 17 Unknown 0 0 Crude Live Birth Rate 10.8 General Fertility Rate 55.8 Third Live births with reported Live births with reported congenital anomalies 0 . % Education First Prenatal
Visit ______ Births Percent Births Percent of Mother Delivery Type Births Percent Elementary or less 6 3 Vaginal after

Vaginal after

Ist trimester

147

76

Some high school

73

Prival previous cesarean

5

3

2nd trimester

33

17

High school

73

Forceps

3

3

College

51

Other vaginal

145

75

No visits

2

1

College graduate

40

Primary cesarean

25

13

Unknown

0

0

Number of Prenatal

Other or unknown

0

Number of Prenatal

Smoking Status 11 26 40 21 1 1 Care visits Births Percent of Mother Births Percent
 Birth Weight
 Births
 Percent
 No visits
 2
 1

 <1,500 gm</td>
 0 0.0
 1-4 visits
 14
 7

 1,500-2,499 gm
 5 2.6
 5-9 visits
 45
 23

 2,500+ gm
 188
 97.4
 10-12 visits
 66
 34

 Unknown
 0 0.0
 13+ visits
 66
 34

 Unknown
 0 0.0
 0
 0
 0
 Smoker Nonsmoker 154 80 23 Unknown 0 Low Birth Weight Trimester of First Prenatal Visit
Total Births (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown
Births Percent Births Borcort Division
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Percent
 Births Race of Mother 5 2.6 White Black 0 0 1 1 Other 0 0 . . Unknown Low Birth Weight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown Births Rate

| Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births Percent | Births P
 rths
 Rate

 0
 -

 3
 .

 15
 .

 41
 78

 .

 1
 2

 3
 .

 1
 6.7

 1
 73

 30
 73

 7
 79

 1
 2.1

 41
 85

 12
 75
 Age of Mother <15 15-17 4 27 18-19 20-24 8 13 25-29 30-34 16 . 12 75 2 29 3 1 6.3 19 35-39 7 0 --2 40+ Unknown Teenage Births 18 . * - Not reported. Age or race category has less than 5 births

Selected

REPORTED*	CASES	OF	SELECTED	DISEASES

Disease Nu	mber
Campylobacter Enteritis	<5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B** Hepatitis NANB/C***	<5
Legionnaire's	<5
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussis	0
Salmonellosis Shigellosis	6 0
Tuberculosis	0
Tabelealobib	O
1999 provisional data	
* Includes all positive HBsAg	
test results	
** Unavailable at time of printing	3
Sexually Transmitted Disease	
Chlamydia Trachomatis	11
Genital Herpes	<5
Gonorrhea	<5
Nongonococcal Cervicitis	
Nongonococcal Urethritis	0
Syphilis	•
IMMUNIZATIONS	
Children in Grades K-12 by	
Compliance Level	_
Compliant 2,359	
Non-compliant 38 Percent Compliant 98.	_
Percent Compliant 98.	+

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

EATHS		157
Death	Rate	878

Age	Deaths	Rate
1-4		•
5-14		
15-19	•	
20-34	3	
35-54	8	
55-64	12	
65-74	28	1,910
75-84	49	4,320
85+	57	12,255

Infant		
Mortality	Deaths	Rate
Total Infant	•	•
Neonatal	•	
Postneonatal	•	
Unknown		

Race of Mother		
White		
Black	•	
Other	•	
Unknown		

Birth Weight		
<1,500 gm		•
1,500-2,499 gm		•
2,500+ gm	•	•
Unknown	•	•

Perinatal		
Mortality	Deaths	Rate
Total Perinatal	1	•
Neonatal	•	
Fetal	1	

Underlying Cause	Deaths	Rate
Heart Disease (total)	42	235
Ischemic heart disease		
Cancer (total)	45	252
Trachea/Bronchus/Lung		
Colorectal	7	
Female Breast		. '
Cerebrovascular Disease	21	117
Lower Resp. Disease		

Injuries Motor vehicle iabetes Diabetes Infectious & Parasitic Suicide

Pneumonia & Influenza

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	1	
Other Drugs	1	
Both Mentioned		

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	206	2
Alcohol-Related	29	0
With Citation:		
For OWI	194	2
For Speeding	14	0
Motorcyclist	13	0
Bicyclist	0	0
Pedestrian	3	0

------ HOSPITALIZATIONS ------

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	TALIZATIONS DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related	J. 311					Alcohol-Relate	v.đ				
Total	187	10.5	4.7	\$11,759	\$123	Total	2 0	1.1	3.7	\$3,163	\$4
	23	5.2		\$7,744	\$40			1.1	3.7	\$3,103	ŞŦ
<18 18-44		5.4	2.5 5.2	\$14,052	\$40 \$76	18-44 45-64	18	•	•	•	•
-	34	7.8			\$76 \$91	,	2	•	•	•	•
45-64	32			\$11,662		Pneumonia and		<i>C</i> 7	F 3	40 011	àcc
65+	98	32.0	5.1	\$11,938	\$382	Total	120	6.7	5.3	\$9,911	\$66
Injury: Hip		1 2	7 0	d10 404	d 0 4	<18	13	•	•	•	•
Total	23	1.3		\$18,404	\$24	45-64	17				
65+	. 22	7.2	8.0	\$18,588	\$133	65+	88	28.7	5.9	\$6	\$0
Injury: Pois						Cerebrovascula					
Total	5	•	•	•	•	Total	59	3.3	5.4	\$9,119	\$30
18-44	5	•	•	•	•	45-64	_ 6	•.	_ • _		
						65+	53	17.3	5.7	\$9,368	\$162
Psychiatric					Chronic Obstructive Pulmonary Disease						
Total	141	7.9	9.7	\$7,274	\$57	Total	77	4.3	4.5	\$7,933	\$34
<18	30	6.8		\$13,816	\$94	<18	2	•			
18-44	72	11.4	6.3	\$4,494	\$51	18-44	7	•			
45-64	21	5.1	7.6	\$3,060	\$16	45-64	14	•			
65+	18				•	65+	54	17.6	5.2	\$8,872	\$156
						Drug-Related					
Coronary Heart Disease					Total	7	•				
Total	151	8.4	4.2	\$14,925	\$126	18-44	1				
45-64	42	10.2	2.7	\$13,180	\$135						
65+	103	33.6	4.9	\$15,900	\$534	Total Hospital	lizations				
					•	Total -	2,338	130.7	4.2	\$8,422	\$1,101
Malignant Neoplasms (Cancers): All					<18	322	73.0	3.0	\$3,953	\$288	
Total	90	5.0		\$14,311	\$72	18-44	489	77.7	3.2	\$5,907	\$459
18-44	5					45-64	387	94.1	3.5	\$9,155	\$862
45-64	26	6.3	4.2	\$11,462	\$72	65+	1,140	371.9	5.2		\$3,911
65+	59	19.2		\$15,206	\$293		,			, .,.	1 - 7 -
	Female Breast (rates for female population)					PREVENTABLE HOSPITALIZATIONS*					
Total	8					Total	437	24.4	4.2	\$7,507	\$183
Neoplasms: 0	-	.1	-	-	•	<18	43	9.7	1.9	\$3,251	\$32
Total	19	-	_	_	_	18-44	38	6.0	2.5	\$5,027	\$30
65+	16	•	•	•	•	45-64	61	14.8	3.3	\$6,937	\$103
Neoplasms: I		•	•	•	•	65+	295	96.2	5.0	\$8,564	\$824
Total	5										
10041	5	•	•	•	•	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.					
Diabetes											
Total	32	1.8	3.2	\$5,938	\$11	The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition.					
65+	32 8	1.0	3.4	φυ, <i>σ</i> υο							
65+	0	•	•	•	•	Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between					
						1997 report for an explanation of the change made between 1996 and 1997.					